

To learn more about Samsung Hospitality Displays,  
please visit [www.samsung.com/hospitality](http://www.samsung.com/hospitality)

Samsung Electronics Co., Ltd.  
Head Office (Suwon, Korea) 416, Maetan-3 Dong,  
Yeongtong-Gu, Suwon City, Gyunggi-Do, 443-742, Korea



## HD entertainment with convenience and efficiency

With the Samsung LED Series 67/57/47,  
your guests will experience the viewing  
pleasure that a typical HDTV would deliver,  
but in an elegantly designed exterior.


With the REACH and My Channel feature,  
your guests receive a wider range of  
TV programming, enabling you to deliver  
diverse services directly to the display.  
Your guests will also experience a true  
home theatre experience with Soundbar  
compatibility and additional connectivity  
capabilities helping to make their stay  
more memorable. Samsung's outstanding  
TV design approach will help to elevate and  
complement the décor of the room.

Series **67** **57** **47**




**REACH**  
(Remote Enhanced Active Control for Hospitality)

REACH is the Samsung Hospitality Display's integrated solution. It provides a simple user interface and editing tool that allows content such as EPG (program guide), property logo, hotel information and images to be updated either remotely through the advanced SIRCH device or through USB cloning on a room by room basis. Therefore, without installing IP infra, it is possible to use this solution through the existing coax cable, without the requirement to install a separate STB - saving you money.



**SIRCH**  
(Samsung Interactive Remote Control for Hospitality)

Every manager or owner of a substantially sized hotel wants to manage their estate of TVs without visiting every room and adjusting every set individually. Our intelligent SIRCH (Samsung Interactive Remote Control for Hospitality) solution can make your life so much easier by managing your fleet of displays from one central location via air broadcast. You can configure settings, like setting up initial and maximum volumes as well as editing and updating channel lists universally and remotely. Important firmware upgrades can also be made the same way, eliminating interruption or service limitation, and providing a better experience for your guests. The advantages to you are varied. Remote control and management significantly reduces the cost of manually updating each set, saving time, resource, and a lot of legwork.



**Energy Saving of up to 50%**

Samsung's range of energy-efficient LED TVs is setting the standard when it comes to saving energy and reducing costs. Samsung Hospitality Displays are a cost effective business solution due to their energy-efficient features and ability to decrease maintenance and management oversight. Our Hospitality Displays offer a number of energy efficient advantages that are designed to lower power usage and your overall energy bill. Samsung LED technology cuts energy consumption by nearly 50% compared with Energy STAR 4.0. This means a 56" Samsung LED TV consumes the same amount of energy as a conventional 32" LCD TV. What's more, LED TVs from Samsung are durable, offering a long lifetime without loss of picture quality. Samsung Displays are also built with less harmful materials, so that the manufacturing and recycling processes are much more efficient and friendlier to the environment.




**Narrow bezel**

Light and elegant, our Samsung Hospitality Displays utilise our innovative One Design approach, which minimises the surrounding frame to only 14mm/0.55inch in thickness. This revolutionary narrow bezel means that there's not only more screen to enjoy, but you can put a larger screen into an area what previously could only fit a smaller one. Well-thought out details like this is what will resonate with your affluent guests, bringing them a richer, more enhanced viewing experience, and elevating your brand for greater prestige.




**Full HD picture**

Bring the pin-sharp picture quality of high-definition to every guest. With Samsung's Full HD Hospitality Displays every viewer can experience the natural beauty of reality. With twice the resolution of standard HD TVs, Full HD Samsung Hospitality Displays deliver images that defy your mind. The rich, vivid textures of full HD images invite your guests to enjoy a viewing experience that redefines reality, and leaves them with a positive impression of your brand.




**Multi-code remote up to 10 TVs**

With the Samsung Hospitality Display TV's multi-code remote up to 10 TVs can be controlled individually in the same room. For application in gym and hospital environments this means guests can enjoy watching TV without annoying interference from other remote signals.



**Swivel stand with optional stops**

Samsung Hospitality Displays pedestal stand rotates 90 degrees in both directions with optional 20, 60 and 90 degree stops so wherever in the room your guests are they should have an excellent view of their TV.



**Soundbar Compatibility**

Samsung Hospitality Displays enable Soundbar compatibility by supporting HDMI-CEC. By connecting the Soundbar to the Samsung Hospitality Display with a HDMI cable the TV audio settings and menu lock feature are automatically applied, so you don't have to set up the Soundbar separately and you can also prevent guests from changing the settings. With one single remote, guests can control both TV and Soundbar simultaneously. The Samsung wall-mountable Soundbar allows you to offer your guests a full 3D surround sound experience through one easy to install device that fits into the most prestigious environment and adds a touch of elegance to your rooms.



Management solution


• Easy Installation and Setup

Samsung Hospitality Displays include easy-to-follow, step-by-step onscreen instructions that guide you through the entire installation process.



• USB cloning (for quick TV setting & upgrade)

To help you work more efficiently, the innovative USB Cloning feature allows you to easily customise and then copy settings such as channels, picture, volume and logo display across your entire TV estate, saving you time from adjusting the settings on each individual box.



• Channel Manager

Easily manage the channel mix and arrangement of both analogue and digital channels for each Samsung Hospitality Display regardless of the system. Channel mapping allows you to rename and reorder channels to your preference.

• Welcome Message and logo display

Generate awareness and enhance your brand image through your logo display and welcome message to all guests. This can be displayed for an adjustable period of 3-7 seconds.

Security solution

• Anti-theft Battery Cover

Replacing stolen batteries can become costly over time that's why Samsung Hospitality Display remotes were designed with a special battery cover that is screwed on.



• Fire Resistant Casing

To help prevent fire damage to your Hospitality TV estate the casings for Samsung Hospitality Displays use a flame retardant material that is able to withstand extremely high temperatures and is also non-flammable to prevent any fire from spreading

Energy efficiency solution

• Energy saving mode

With Samsung's Energy Saving Mode you can select from three pre-defined optimised settings that control the amount of energy the TVs use.

• Music mode

When a guest has connected an external device to the Samsung Hospitality Display to play music the panel backlight can be turned off thus decreasing the power consumption of the unit when in music mode.



Guest convenience

• Remote Jack Pack Compatible

Through the Jack Pack your guests can connect and play various electronic devices from laptops to cameras to the TV.



• Headphone Output and Headphone ID

Samsung Hospitality Displays have a headphone socket to plug headphones in directly and the Headphone ID can detect the connected headphones to a bed or table in the same room. In a hotel or hospital environment you can extend the headphone cable without any hassle.

• External Speaker Output

With the Samsung Hospitality Display, you can connect the sound to other parts of the room or for example to a bathroom speaker, so your guests can hear the TV wherever they are.

• Auto sensing input

Auto Sensing enables the Samsung Hospitality Display to automatically detect any compatible digital device that is connected to the TV via HDMI or USB without the user needing to adjust the mode.

• Multimedia Connectivity – USB 2.0

Guests can enjoy their own movies, music and images by simply plugging their USB into the Samsung Hospitality Display with no format limitation.

HA670 46" / 40" / 32" (China)



- Slim LED
- Full HD
- Energy efficiency
- Swivel stand 20°/60°/90°
- Multi-code remote control
- Soundbar compatibility
- Welcome Message & Logo Display

HA570 40" (S.E.Asia)



- Narrow bezel
- Full HD
- Energy efficiency
- Swivel stand 20°/60°/90°
- Multi-code remote control
- Soundbar compatibility
- Welcome Message & Logo Display

HA570 40"(AU/NZ/S6/India)



- REACH & SIRCH
- Narrow bezel
- Full HD
- Energy efficiency
- Swivel stand 20°/60°/90°
- Multi-code remote control
- Soundbar compatibility

HA570 46"/ 40"(China)



- Narrow bezel
- Full HD
- Energy efficiency
- Swivel stand 20°/60°/90°
- Multi-code remote control
- Soundbar compatibility
- Welcome Message & Logo Display

HA470 32" / 26" (S.E.Asia)



- Narrow bezel
- Energy efficiency
- Swivel stand 20°/60°/90° (32")
- Multi-code remote control
- Soundbar compatibility
- Welcome Message & Logo Display

HA470 32" / 26"(AU/NZ/S6/India)



- REACH & SIRCH
- Narrow bezel
- Energy efficiency
- Swivel stand 20°/60°/90° (32")
- Multi-code remote control
- Soundbar compatibility

HA470 32" (China)



- Narrow bezel
- Energy efficiency
- Swivel stand 20°/60°/90°
- Multi-code remote control
- Soundbar compatibility
- Welcome Message & Logo Display



HA670 46" / 40" / 32" (China)



- Slim LED
- Full HD
- Energy efficiency
- Swivel stand 20°/60°/90°
- Multi-code remote control
- Soundbar compatibility
- Welcome Message & Logo Display

Connectors

1. HDMI IN 3

2. USB

3. HDMI IN - 1(DVI) / 2

4. RJP
5. PC/DVI AUDIO IN

6. RJ12

7. VARIABLE AUDIO OUT

8. VIDEO OUT
9. AUDIO OUT

10. PC IN


11. HEADPHONE ID

12. HEADPHONE OUT
13. COMPONENT / AV IN2

14. AV IN1

15. VARIABLE AUDIO OUT VOLUME CONTROL

16. ANT IN



Model		HA670
Video	Screen Size	32" / 40" / 46"
	HD/FHD	FHD
	Resolution	1920 x 1080
	Response Time	46" : 8ms / 40" : 4ms / 32" : 5.5ms
	Viewing angle (H/V)	46" : 178/178 / 40" : 176/176 / 32" : 178/178
	Backlight	LED
	Brightness	46" : 320cd/m2 / 40" : 450cd/m2 / 32" : 310cd/m2
Audio	Picture Engine	HyperReal Engine
	Output	10W x 2
	Dolby	Dolby Digital Plus / Dolby Pulse
	Surround (SRS)	SRS TheaterSound
	Bathroom Speaker Out	4W Mono
	ConnectShare™ (USB2.0)	Movie
	Anynet+ (HDMI-CEC)	Yes
Feature	Auto Channel Search	Yes
	Auto Power Off (Auto TV On)	Yes
	Auto Volume Leveller	Yes
	Clock & On/Off Timer	Yes
	Picture-In-Picture	1 Tuner PIP
	Sleep Timer	Yes
	OSD Language	Local Languages
	RF In (Terrestrial/Cable input)	1
	RJ12 For External Control	1
	HDMI (Side/Rear)	1/2
Input & Output	USB (Side/Rear)	1/0
	Component In (Y/Pb/Pr) (Side/Rear)	0/1
	Composite In (AV) (Side/Rear)	0/2(Common Use for Component Y)
	Headphone	1
	Headphone_ID	1
	Digital Audio Out (Optical)	1
	Audio Out (Mini Jack)	1
	Pillow Speaker Jack	1
	RJP Jack (Remote Jack Pack)	1
	PC In (D-sub)	1
	PC Audio In (Mini Jack)	1
	DVI Audio In (Mini Jack)	1 (Common Use for PC Audio in)
	RS232C (AV CONTROL)	Yes

Model		HA670
Hospitality Feature	Hospitality Plug & Play (Easy Setup)	Yes
	RJ12 / IR pass through	Yes
	Music Mode (Input: PC/AV/Component)	Yes
	Power On Status Setting (Keycard/Master Power off)	Yes
	Jack Pack Compatibility	Yes
	USB Cloning	Yes
	Bathroom Speaker output	Yes
	Hotel Channel List	Yes
	Logo Display with Time out Setting (BMP/Movie)	Yes
	Welcome Message	Yes
	Auto Source mode	Yes
	Multi Code Remote	Yes
	Alarm Key	Yes
	Mixed channel list(DTV, Analog)	No
	Channel Setup On/Off	Yes
Design	Soundbar Compatibility	Yes
	Slim Type	Slim
	Swivel (Left/Right)	20/60/90
Dimension	Weight (Set) With Stand (Kg)	46" : 16.1 / 40" : 13.2 / 32" : 8.2
	Weight (Set) Without Stand (Kg)	46" : 13.2 / 40" : 10.3 / 32" : 6.2
	Dimensions (WxHxD)mm With Stand	46" : 1062.8x684.8x227.7 / 40" : 927.4x608.4x227.7 / 32" : 740.2x503.2x191.7
	Dimensions (WxHxD)mm Without Stand	46" : 1062.8x631.1x46.9 / 40" : 927.4x554.7x46.9 / 32" : 740.2x449.3x46.9
VESA	Dimensions (mm)	46" : 400x400 / 40" : 200x200 / 32" : 200x200
	Screw Size	M8
Accessory	Remote Control	TM1240
	Batteries (for Remote Control)	Yes
	RJ 12 Cable	Yes
	Power Cable	Yes
	Installation manual (Quick guide)	Yes
System	DTV Reception	Ready
	Analog Tuner	Yes
Power	Power Supply	AC100-240V 50/60Hz
	Power Consumption (Rated) (Watts)	46" : 100W / 40" : 99W / 32" : 78W
	Power Consumption (Stand-by) (Watts)	0.5W
	Power Consumption (Typical) (Watts)	46" : 55W / 40" : 65W / 32" : 40W
	Energy Saving Mode Power Consumption (Watts)	46" : 21W / 40" : 22W / 32" : 16W
Security	Medium	46" : 30W / 40" : 32W / 32" : 24W
	Low	46" : 39W / 40" : 42W / 32" : 30W
	Kensington Lock	Yes

HA570 40" (S.E.Asia)



- Narrow bezel
- Full HD
- Energy efficiency
- Swivel stand 20°/60°/90°
- Multi-code remote control
- Soundbar compatibility
- Welcome Message & Logo Display

Connectors

1. HDMI IN 3

2. USB

3. HDMI IN - 1(DVI) / 2

4. RJP
5. PC/DVI AUDIO IN

6. RJ12

7. VARIABLE AUDIO OUT

8. VIDEO OUT
9. AUDIO OUT

10. PC IN



11. HEADPHONE ID

12. HEADPHONE OUT
13. COMPONENT / AV IN 2

14. AV IN 1

15. ANT IN

16. VARIABLE AUDIO OUT VOLUME CONTROL




Model		HA570
Video	Screen Size	40"
	HD/FHD	FHD
	Resolution	1920 x 1080
	Response Time	5.5MS
	Viewing angle (H/V)	178°/178°
	Backlight	LED
	Brightness	350cd/m2
Audio	Picture Engine	HyperReal Engine
	Output	10W x 2
	Dolby	Dolby Digital Plus / Dolby Pulse
	Surround (SRS)	SRS TheaterSound
	Bathroom Speaker Out	4w Mono
	Teletext	Yes
	ConnectShare™ (USB2.0)	Movie
Feature	Anynet+ (HDMI-CEC)	Yes
	Auto Channel Search	Yes
	Auto Power Off (Auto TV On)	Yes
	Auto Volume Leveller	Yes
	Clock & On/Off Timer	Yes
	Picture-In-Picture	1 Tuner PIP
	Sleep Timer	Yes
Input & Output	RF In (Terrestrial/Cable input)	1
	RJ12 For External Control	1
	HDMI (Side/Rear)	1/2
	USB (Side/Rear)	1/0
	Component In (Y/Pb/Pr) (Side/Rear)	0/1
	Composite In (AV) (Side/Rear)	0/2(Common Use for Component Y)
	Headphone	1
	Headphone_ID	1
	Digital Audio Out (Optical)	1
	Audio Out (Mini Jack)	1
	Pillow Speaker Jack	1
	RJP Jack (Remote Jack Pack)	1
	PC In (D-sub)	1
Input & Output	PC Audio In (Mini Jack)	1
	DVI Audio In (Mini Jack)	1 (Common Use for PC Audio in)
	RS232C (AV CONTROL)	Yes

Model		HA570
Hospitality Feature	Hospitality Plug & Play (Easy Setup)	Yes
	RJ12 / IR pass through	Yes
	Music Mode (Input: PC/AV/Component)	Yes
	Power On Status Setting (Keycard/Master Power off)	Yes
	Jack Pack Compatibility	Yes
	USB Cloning	Yes
	Bathroom Speaker output	Yes
	Hotel Channel List	Yes
	Logo Display with Time out Setting (BMP/Movie)	Yes
	Welcome Message	Yes
	Auto Source mode	Yes
	Multi Code Remote	Yes
	Screwed Remote Battery Cover	Yes
Design	Alarm Key	Yes
	Soundbar Compatibility	Normal
	Slim Type	Normal
Dimension	Swivel (Left/Right)	20°/60°/90°
	Weight (Set) With Stand (Kg)	11.9
Dimension	Weight (Set) Without Stand (Kg)	9
	Dimensions (WxHxD)mm With Stand	927.6x607.0x227.6
	Dimensions (WxHxD)mm Without Stand	927.6x551.0x93.0
VESA	Dimensions (mm)	200x200
	Screw Size	M6
Accessory	Remote Control	TM1050
	Batteries (for Remote Control)	Yes
	RJ 12 Cable	Yes
	Power Cable	Yes
	Installation manual (Quick guide)	Yes
System	DTV Reception	Ready
	Analog Tuner	Yes
Power	Power Supply	AC100-240V 50/60Hz
	Power Consumption (Rated) (Watts)	139W
	Power Consumption (Stand-by) (Watts)	0.4W
	Power Consumption (Typical) (Watts)	55
Energy Saving Mode Power Consumption (Watts)	High	13w
	Medium	29w
	Low	41w
Security	Kensington Lock	Yes

HA570 40" (AU/NZ/SG/India)



- REACH & SIRCH
- Narrow bezel
- Full HD
- Energy efficiency
- Swivel stand 20°/60°/90°
- Multi-code remote control
- Soundbar compatibility



Model		HA570
Video	Screen Size	40"
	HD/FHD	FHD
	Resolution	1920 x 1080
	Response Time	8ms
	Viewing angle (H/V)	178°/178°
	Backlight	LED
	Brightness	300cd/m2
Audio	Picture Engine	HyperReal Engine
	Output	10W x 2
	Dolby	Dolby Digital Plus / Dolby Pulse
	Surround (SRS)	SRS TheaterSound
	Bathroom Speaker Out	4W Mono
	Teletext	Yes
	EPG	Yes
Feature	ConnectShare™ (USB2.0)	Movie
	Anynet+ (HDMI-CEC)	Yes
	Auto Channel Search	Yes
	Auto Power Off (Auto TV On)	Yes
	Auto Volume Leveller	Yes
	Caption/Subtitle	Yes
	Clock & On/Off Timer	Yes
	Picture-In-Picture	1 Tuner PIP
	Sleep Timer	Yes
Input & Output	RF In (Terrestrial/Cable input)	1
	RJ12 For External Control	1
	HDMI (Side/Rear)	1/2
	USB (Side/Rear)	1/0
	Component In (Y/Pb/Pr) (Side/Rear)	0/1
	Composite In (AV) (Side/Rear)	0/2(Common Use for Component Y)
	Headphone	1
	Headphone_ID	1
	Audio Out (Mini Jack)	1
	Variable Audio Out	1
	VOL-CTRL	1
	RJP Jack (Remote Jack Pack)	1
	PC In (D-sub)	1
	PC Audio In (Mini Jack)	1
	DVI Audio In (Mini Jack)	1 (Common Use for PC Audio in)

Model		HA570
Hospitality Feature	REACH	Yes
	SIRCH Compatibility	Yes
	Hospitality Plug & Play (Easy Setup)	Yes
	RJ12 / IR pass through	Yes
	Music Mode (Input: PC/AV/Component)	Yes
	Power On Status Setting (Keycard/Master Power off)	Yes
	Jack Pack Compatibility	Yes
	USB Cloning	Yes
	Bathroom Speaker output	Yes
	Hotel Channel List	Yes
	Logo Display with Time out Setting (BMP/Movie)	Yes
	Welcome Message	Yes
	Auto Source mode	Yes
	Energy Saving Mode(BLU control)	Yes
	Multi Code Remote	Yes
Design	Screwed Remote Battery Cover	Yes
	Alarm Key	Yes
	Mixed channel list(DVB T, Analog)	Yes
	Soundbar Compatibility	Normal
	Slim Type	Normal
Dimension	Swivel (Left/Right)	20°/60°/90°
	Weight (Set) With Stand (Kg)	11.9
	Weight (Set) Without Stand (Kg)	9
	Dimensions (WxHxD)mm With Stand	927.6x607.0x227.6
VESA	Dimensions (WxHxD)mm Without Stand	927.6x551.0x93.0
	Dimensions (mm)	200x200
	Screw Size	M6
	Screw	M6
Accessory	Remote Control	TM1050
	Batteries (for Remote Control)	Yes
	RJ 12 Cable	Yes
	Power Cable	Yes
	Installation manual (Quick guide)	Yes
System	DTV Reception	DVB-T
Power	Power Supply	AC220-240V 50/60Hz(AU,NZ,SG) AC100-240V 50/60Hz(India)
	Power Consumption (Rated) (Watts)	87W
	Power Consumption (Stand-by) (Watts)	0.3W
	Power Consumption (Typical) (Watts)	48W
	Energy Saving Mode Power Consumption (Watts)	16W
Security	Medium	22W
	Low	29W
	Kensington Lock	Yes



HA570 46" / 40" (China)



- Narrow bezel
- Full HD
- Energy efficiency
- Swivel stand 20°/60°/90°
- Multi-code remote control
- Soundbar compatibility
- Welcome Message & Logo Display

Connectors

1. HDMI IN 3

2. USB

3. HDMI IN - 1(DVI) / 2

4. RJP
5. PC/DVI AUDIO IN

6. RJ12

7. VARIABLE AUDIO OUT

8. VIDEO OUT
9. AUDIO OUT

10. PC IN



11. HEADPHONE ID

12. HEADPHONE OUT
13. COMPONENT / AV IN 2

14. AV IN 1

15. ANT IN


16. VARIABLE AUDIO OUT VOLUME CONTROL



A 40"(927.6mm)  
46"(1,059.8mm)


B 40"(607mm)  
46"(681.2mm)

C 40"(551mm)  
46"(625.6mm)



D 40"(93mm)  
46"(94.3mm)

E 40"(227.6mm)  
46"(227.6mm)



A 40"(363.8mm)  
46"(329.9mm)

B 40"(200mm)  
46"(400mm)

C 40"(363.8mm)  
46"(329.9mm)

D 40"(180.1mm)  
46"(134.2mm)

E 40"(200mm)  
46"(400mm)

F 40"(170.9mm)  
46"(91.5mm)

Specification

Model		HA570
Video	Screen Size	46" / 40"
	HD/FHD	FHD
	Resolution	1920 x 1080
	Response Time	5.5ms
	Viewing angle (H/V)	178°/178°
	Backlight	LED
	Brightness	350cd/m2
Audio	Picture Engine	HyperReal Engine
	Output	10W x 2
	Dolby	Dolby Digital Plus / Dolby Pulse
	Surround (SRS)	SRS TheaterSound
	Bathroom Speaker Out	4W Mono
	ConnectShare™ (USB2.0)	Movie
	Anynet+ (HDMI-CEC)	Yes
Feature	Auto Channel Search	Yes
	Auto Power Off (Auto TV On)	Yes
	Auto Volume Leveller	Yes
	Clock & On/Off Timer	Yes
	Picture-In-Picture	1 Tuner PIP
	Sleep Timer	Yes
	OSD Language	Local Languages
	RF In (Terrestrial/Cable input)	1
	RJ12 For External Control	1
	HDMI (Side/Rear)	1/2
Input & Output	USB (Side/Rear)	1/0
	Component In (Y/Pb/Pr) (Side/Rear)	0/1
	Composite In (AV) (Side/Rear)	0/2(Common Use for Component Y)
	Headphone	1
	Headphone_ID	1
	Audio Out (Mini Jack)	1
	Variable Audio Out	1
	VOL-CTRL	1
	RJP jack (Remote Jack Pack)	1
	PC In (D-sub)	1
	PC Audio In (Mini Jack)	1
	DVI Audio In (Mini Jack)	1 (Common Use for PC Audio in)
	Video Out	1

Model		HA570
Hospitality Feature	Hospitality Plug & Play (Easy Setup)	Yes
	RJ12 / IR pass through	Yes
	Music Mode (Input: PC/AV/Component)	Yes
	Power On Status Setting (Keycard/Master Power off)	Yes
	Jack Pack Compatibility	Yes
	USB Cloning	Yes
	Bathroom Speaker output	Yes
	Hotel Channel List	Yes
	Logo Display with Time out Setting (BMP/Movie)	Yes
	Welcome Message	Yes
	Auto Source mode	Yes
	Multi Code Remote	Yes
	Alarm Key	Yes
	Mixed channel list(DVB T, Analog)	No
	Channel Setup On/Off	Yes
Design	Soundbar Compatibility	Normal
	Slim Type	Normal
	Swivel (Left/Right)	20°/60°/90°
Dimension	Weight (Set) With Stand (Kg)	46" : 15.4 40" : 11.9
	Weight (Set) Without Stand (Kg)	46" : 12.5 40" : 9
	Dimensions (WxHxD)mm With Stand	46" : 1059.8x681.2x227.6 40" : 927.6x607.0x227.6
	Dimensions (WxHxD)mm Without Stand	46" : 1059.8x625.6x94.3 40" : 927.6x551.0x93.0
	Dimensions (mm)	46" : 400x400 40" : 200x200
VESA	Screw Size	46" : M8 40" : M6
	Accessary	Remote Control
System	Batteries (for Remote Control)	TM1240
	Batteries (for Remote Control)	Yes
	RJ 12 Cable	Yes
	Power Cable	Yes
	Installation manual (Quick guide)	Yes
Power	DTV Reception	Ready
	Analog Tuner	Yes
Energy Saving Mode	Power Supply	AC100-240V 50/60Hz
	Power Consumption (Rated) (Watts)	46" : 95W 40" : 87W
	Power Consumption (Stand-by) (Watts)	0.4W
	Power Consumption (Typical) (Watts)	46" : 65W 40" : 55W
	Power Consumption (Watts)	46" : 21W 40" : 13W
Security	Medium	46" : 34W 40" : 29W
	Low	46" : 47W 40" : 41W
	Kensington Lock	Yes

HA470 32" / 26" (S.E.Asia)



- Narrow bezel
- Energy efficiency
- Swivel stand 20°/60°/90° (32")
- Multi-code remote control
- Soundbar compatibility
- Welcome Message & Logo Display

Connectors

1. HDMI IN 3

2. USB

3. HDMI IN - 1(DVI) / 2

4. RJP
5. PC/DVI AUDIO IN

6. RJ12

7. VARIABLE AUDIO OUT

8. VIDEO OUT
9. AUDIO OUT

10. PC IN



11. HEADPHONE ID

12. HEADPHONE OUT
13. COMPONENT / AV IN 2

14. AV IN 1

15. ANT IN

16. VARIABLE AUDIO OUT VOLUME CONTROL



Model		HA470
Video	Screen Size	32" / 26"
	HD/FHD	HD
	Resolution	1366 x 768
	Response Time	32" : 5.5ms 26" : 8.5ms
	Viewing angle (H/V)	32" : 178/178 26" : 176/176
	Backlight	LED
	Brightness	300cd/m2
	Picture Engine	HyperReal Engine
	Output	32" : 10W x 2 26" : 5W x 2
	Dolby	Dolby Digital Plus / Dolby Pulse
Audio	Surround (SRS)	SRS TheaterSound
	Bathroom Speaker Out	4w Mono
	Feature	Teletext ConnectShare™ (USB2.0) Anynet+ (HDMI-CEC) Auto Channel Search Auto Power Off (Auto TV On) Auto Volume Leveller Clock & On/Off Timer Picture-In-Picture Sleep Timer
Input & Output	RF In (Terrestrial/Cable input)	1
	RJ12 For External Control	1
	HDMI (Side/Rear)	1/2
	USB (Side/Rear)	1/0
	Component In (Y/Pb/Pr) (Side/Rear)	0/1
	Composite In (AV) (Side/Rear)	0/2(Common Use for Component Y)
	Headphone	1
	Headphone_ID	1
	Digital Audio Out (Optical)	1
	Audio Out (Mini Jack)	1
	Pillow Speaker Jack	1
	RJP jack (Remote Jack Pack)	1
	PC In (D-sub)	1
	PC Audio In (Mini Jack)	1
	DVI Audio In (Mini Jack)	1 (Common Use for PC Audio in)
	RS232C (AV CONTROL)	Yes

Model		HA470
Hospitality Feature	Hospitality Plug & Play (Easy Setup)	Yes
	RJ12 / IR pass through	Yes
	Music Mode (Input: PC/AV/Component)	Yes
	Power On Status Setting (Keycard/Master Power off)	Yes
	Jack Pack Compatibility	Yes
	USB Cloning	Yes
	Bathroom Speaker output	Yes
	Hotel Channel List	Yes
	Logo Display with Time out Setting (BMP/Movie)	Yes
	Welcome Message	Yes
Design	Auto Source mode	Yes
	Multi Code Remote	Yes
	Screwed Remote Battery Cover	Yes
	Alarm Key	Yes
	Soundbar Compatibility	Normal
	Slim Type	Normal
	Swivel (Left/Right)	32" : 20/60/90 26" : No
Dimension	Weight (Set) With Stand (Kg)	32" : 7.8 26" : 4.8
	Weight (Set) Without Stand (Kg)	32" : 5.8 26" : 4.2
	Dimensions (WxHxD)mm With Stand	32" : 738.8x493.3x191.7 26" : 615.1x419.2x180.7
	Dimensions (WxHxD)mm Without Stand	32" : 738.8x436.7x92.7 26" : 615.1x365.6x90.6
VESA	Dimensions (mm)	32" : 200x200 26" : 100x100
	Screw Size	32" : M6 26" : M4
Accessory	Remote Control	TM1050
	Batteries (for Remote Control)	Yes
	RJ 12 Cable	Yes
	Power Cable	Yes
System	Installation manual (Quick guide)	Yes
	DTV Reception	Ready
Power	Analog Tuner	Yes
	Power Supply	AC100-240V 50/60Hz
	Power Consumption (Rated) (Watts)	32" : 54W 26" : 41W
	Power Consumption (Stand-by) (Watts)	0.4W
	Power Consumption (Typical) (Watts)	32" : 45W 26" : 28W
Energy Saving Mode Power Consumption (Watts)	High	32" : 13W 26" : 12W
	Medium	32" : 16W 26" : 20W
	Low	32" : 26W 26" : 20W
Security	Kensington Lock	Yes



HA470 32" / 26" (AU/NZ/SG/India)



- REACH & SIRCH
- Narrow bezel
- Energy efficiency
- Swivel stand 20°/60°/90° (32")
- Multi-code remote control
- Soundbar compatibility

Connectors

1. HDMI IN 3

2. USB

3. HDMI IN - 1(DVI) / 2

4. RJP
5. PC/DVI AUDIO IN

6. RJ12

7. VARIABLE AUDIO OUT

8. AUDIO OUT
9. PC IN


10. HEADPHONE ID

11. HEADPHONE OUT

12. COMPONENT / AV IN 2
13. AV IN 1

14. ANT IN

15. VARIABLE AUDIO OUT VOLUME CONTROL



Specification

Model		HA470
Video	Screen Size	32" / 26"
	HD/FHD	HD
	Resolution	1366 x 768
	Response Time	32" : 8ms 26" : 8.5ms
	Viewing angle (H/V)	32" : 178/178 26" : 176/176
	Backlight	LED
	Brightness	32" : 330cd/m2 26" : 300cd/m2
Audio	Picture Engine	HyperReal Engine
	Output	32" : 10W x 2 26" : 5W x 2
	Dolby	Dolby Digital Plus / Dolby Pulse
	Surround (SRS)	SRS TheaterSound
	Bathroom Speaker Out	4W Mono
	Teletext	Yes
	EPG	Yes
Feature	ConnectShare™ (USB2.0)	Movie
	Anynet+ (HDMI-CEC)	Yes
	Auto Channel Search	Yes
	Auto Power Off (Auto TV On)	Yes
	Auto Volume Leveller	Yes
	Caption/Subtitle	Yes
	Clock & On/Off Timer	Yes
	Picture-In-Picture	1 Tuner PIP
	Sleep Timer	Yes
	RF In (Terrestrial/Cable input)	1
Input & Output	RJ12 For External Control	1
	HDMI (Side/Rear)	1/2
	USB (Side/Rear)	1/0
	Component In (Y/Pb/Pr) (Side/Rear)	0/1
	Composite In (AV) (Side/Rear)	0/2(Common Use for Component Y)
	Headphone	1
	Headphone_ID	1
	Audio Out (Mini Jack)	1
	Variable Audio Out	1
	VOL-CTRL	1
	RJP Jack (Remote Jack Pack)	1
	PC In (D-sub)	1
	PC Audio In (Mini Jack)	1
	DVI Audio In (Mini Jack)	1 (Common Use for PC Audio in)

Model		HA470
Hospitality Feature	REACH	Yes
	SIRCH Compatibility	Yes
	Hospitality Plug & Play (Easy Setup)	Yes
	RJ12 / IR pass through	Yes
	Music Mode (Input: PC/AV/Component)	Yes
	Power On Status Setting (Keyboard/Master Power off)	Yes
	Jack Pack Compatibility	Yes
	USB Cloning	Yes
	Bathroom Speaker output	Yes
	Hotel Channel List	Yes
	Logo Display with Time out Setting (BMP/Movie)	Yes
	Welcome Message	Yes
	Auto Source mode	Yes
	Energy Saving Mode(BLU control)	Yes
	Multi Code Remote	Yes
Design	Screwed Remote Battery Cover	Yes
	Alarm Key	Yes
	Mixed channel list(DVB T, Analog)	Yes
	Soundbar Compatibility	Normal
	Slim Type	Normal
Dimension	Swivel (Left/Right)	32" : 20/60/90 26" : No
	Weight (Set) With Stand (Kg)	32" : 7.8 26" : 4.8
	Weight (Set) Without Stand (Kg)	32" : 5.8 26" : 4.2
	Dimensions (WxHxD)mm With Stand	32" : 738.8x500.8x191.7 26" : 615.1x419.2x180.7
	Dimensions (WxHxD)mm Without Stand	32" : 738.8x436.7x93.2 26" : 615.1x365.6x92.9
VESA	Dimensions (mm)	32" : 200x200 26" : 100x100
	Screw Size	32" : M6 26" : M4
Accessory	Remote Control	TM1050
	Batteries (for Remote Control)	Yes
	RJ 12 Cable	Yes
	Power Cable	Yes
	Installation manual (Quick guide)	Yes
System	DTV Reception	DVB-T
Power	Power Supply	AC220-240V 50/60Hz(AU,NZ,SG) AC100-240V 50/60Hz(India)
	Power Consumption (Rated) (Watts)	32" : 52W(AU,NZ,SG) / 54W(India) 26" : 40W(AU,NZ,SG) / 41W(India)
	Power Consumption (Stand-by) (Watts)	0.3W
	Power Consumption (Typical) (Watts)	32" : 34W 26" : 28W
	Energy Saving Mode	32" : 14W 26" : 13W
Power Consumption (Watts)	Medium	32" : 18W 26" : 16W
	Low	32" : 22W 26" : 19W
Security	Kensington Lock	Yes

HA470 32" (China)



- Narrow bezel
- Energy efficiency
- Swivel stand 20°/60°/90°
- Multi-code remote control
- Soundbar compatibility
- Welcome Message & Logo Display

Connectors

1. HDMI IN 3

2. USB

3. HDMI IN - 1(DVI) / 2

4. RJP
5. PC/DVI AUDIO IN

6. RJ12

7. VARIABLE AUDIO OUT

8. VIDEO OUT
9. AUDIO OUT

10. PC IN



11. HEADPHONE ID

12. HEADPHONE OUT
13. COMPONENT / AV IN 2

14. AV IN 1

15. ANT IN

16. VARIABLE AUDIO OUT VOLUME CONTROL



Model		HA470
Video	Screen Size	32"
	HD/FHD	HD
	Resolution	1366 x 768
	Response Time	8ms
	Viewing angle (H/V)	178°/178°
	Backlight	LED
	Brightness	TBD
Audio	Picture Engine	280cd/m2
	Output	10W x 2
	Dolby	Dolby Digital Plus / Dolby Pulse
	Surround (SRS)	SRS TheaterSound
	Bathroom Speaker Out	4W Mono
	ConnectShare™ (USB2.0)	Movie
	Anynet+ (HDMI-CEC)	Yes
Feature	Auto Channel Search	Yes
	Auto Power Off (Auto TV On)	Yes
	Auto Volume Leveller	Yes
	Clock & On/Off Timer	Yes
	Picture-In-Picture	1 Tuner PIP
	Sleep Timer	Yes
	OSD Language	Local Languages
Input & Output	RF In (Terrestrial/Cable input)	1
	RJ12 For External Control	1
	HDMI (Side/Rear)	1/2
	USB (Side/Rear)	1/0
	Component In (Y/Pb/Pr) (Side/Rear)	0/1
	Composite In (AV) (Side/Rear)	0/2(Common Use for Component Y)
	Headphone	1
	Headphone_ID	1
	Audio Out (Mini Jack)	1
	Variable Audio Out	1
	VOL-CTRL	1
	RJP jack (Remote Jack Pack)	1
	PC In (D-sub)	1
	PC Audio In (Mini Jack)	1
	DVI Audio In (Mini Jack)	1 (Common Use for PC Audio in)
	Video Out	1

Model		HA470
Hospitality Feature	Hospitality Plug & Play (Easy Setup)	Yes
	RJ12 / IR pass through	Yes
	Music Mode (Input: PC/AV/Component)	Yes
	Power On Status Setting (Keycard/Master Power off)	Yes
	Jack Pack Compatibility	Yes
	USB Cloning	Yes
	Bathroom Speaker output	Yes
	Hotel Channel List	Yes
	Logo Display with Time out Setting (BMP/Movie)	Yes
	Welcome Message	Yes
	Auto Source mode	Yes
	Multi Code Remote	Yes
	Alarm Key	Yes
Design	Mixed channel list(DVB T, Analog)	No
	Channel Setup On/Off	Yes
	Soundbar Compatibility	Normal
	Slim Type	Normal
	Swivel (Left/Right)	20°/60°/90°
Dimension	Weight (Set) With Stand (Kg)	7.8
	Weight (Set) Without Stand (Kg)	5.9
	Dimensions (WxHxD)mm With Stand	738.8x493.3x191.7
	Dimensions (WxHxD)mm Without Stand	738.8x436.7x92.7
VESA	Dimensions (mm)	200x200
	Screw Size	M6
Accessory	Remote Control	TM1240
	Batteries (for Remote Control)	Yes
	RJ 12 Cable	Yes
	Power Cable	Yes
System	Installation manual (Quick guide)	Yes
	DTV Reception	Ready
	Analog Tuner	Yes
Power	Power Supply	AC100-240V 50/60Hz
	Power Consumption (Rated) (Watts)	54W
	Power Consumption (Stand-by) (Watts)	0.4W
	Power Consumption (Typical) (Watts)	45W
Energy Saving Mode Power Consumption (Watts)	High	13W
	Medium	20W
	Low	26W
Security	Kensington Lock	Yes